2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt SEQUENCE LISTING

<110> CHUN, Keun Ho HWANG, Hyun Jin

<120> TARGET DETECTION SYSTEM HAVING A CONFORMATIONALLY SENSITIVE PROBE

COMPRISING A NUCLEIC ACID BASED SIGNAL TRANSDUCER

```
<130> 12090-05CIP2
<140> US 10/684,346
<141> 2003-10-11
<150> US 60/417,864
<151> 2002-10-11
<150> US 10/684,230
<151> 2003-10-10
<160> 167
<170> PatentIn version 3.3
<210> 1
<211> 7
<212> PRT
<213> Human immunodeficiency virus type 1
<220>
<221> MISC FEATURE
<222> (1)..(7)
<223> HIV-1 protease cleavage site
<300>
<308> GenBank/K03455
<309> 2002-10-21
<313> (129)..(135)
<400> 1
Ser Gln Asn Tyr Pro Ile Val
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<210> 2
<211> 7
<212> PRT
<213> Human immunodeficiency virus type 1
<221> MISC FEATURE
<222> (1)..(7)
<223> HIV-1 protease cleavage site
<308> GenBank/K03455
<309> 2002-10-21
<313> (360)..(366)
<400> 2
Ala Arg Val Leu Ala Glu Ala
  5
<210> 3
<211> 7
<212> PRT
<213> Human immunodeficiency virus type 1
<221> MISC FEATURE
<222> (1)..(7)
<223> HIV-1 protease cleavage site
```

```
<309> 2002-10-21
<313> (374)..(380)
<400> 3
Ala Thr lle Met Met Gln Arg
<210> 4
```

<308> GenBank/K03455

<220>

<300>

<220>

<300>

<211> 7

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<212> PRT
<213> Human immunodeficiency virus type 1
<221> MISC_FEATURE
<222> (1)..(7)
<223> HIV-1 protease cleavage site
<308> GenBank/K03455
<309> 2002-10-21
<313> (429)..(435)
<400> 4
Arg Gln Ala Asn Phe Leu Gly
         5
<210> 5
<211> 7
<212> PRT
<213> Human immunodeficiency virus type 1
<221> MISC_FEATURE
```

<220>

<300>

<220>

<222> (1)..(7)

<212> PRT

```
<300>
<308> GenBank/K03455
<309> 2002-10-21
<313> (445)..(451)
<400> 5
Pro Gly Asn Phe Leu Gln Ser
         5
1
<210> 6
<211> 5
```

<223> HIV-1 protease cleavage site

<213> Human immunodeficiency virus type 1

```
<220>
<221> MISC FEATURE
<222> (1)..(5)
<223> HIV-1 protease cleavage site
<400> 6
Ser Val Pro Gln Ile
         5
<210> 7
<211> 7
<212> PRT
<213> Human immunodeficiency virus type 1
<220>
<221> MISC FEATURE
<222> (1)..(7)
<223> HIV-1 protease cleavage site
<400> 7
Ser Phe Asn Phe Pro Gln Ile
        5
<210> 8
<211> 7
<212> PRT
<213> Human immunodeficiency virus type 1
<220>
<221> MISC FEATURE
<222> (1)..(7)
<223> HIV-1 protease cleavage site
<300>
<308> GenBank/K03455
<309> 2002-10-21
<313> (61)..(67)
```

```
<400> 8
Thr Leu Asn Phe Pro Ile Ser
         5
<210> 9
<211> 7
<212> PRT
<213> Human immunodeficiency virus type 1
<220>
<221> MISC_FEATURE
<222> (1)..(7)
<223> HIV-1 protease cleavage site
<300>
<308> GenBank/K03455
<309> 2002-10-21
<313> (509)..(515)
<400> 9
Ala Glu Thr Phe Tyr Val Asp
         5
<210> 10
<211> 7
<212> PRT
<213> Human immunodeficiency virus type 1
<220>
<221> MISC FEATURE
<222> (1)..(7)
<223> HIV-1 protease cleavage site
<400> 10
Arg Lys Val Leu Phe Leu Asp
    5
```

<210> 11

```
<211> 10
<212> PRT
<213> Hepatitis C virus
<220>
<221> MISC FEATURE
<222> (1)..(10)
<223> HCV NS3 protease cleavage site
<300>
<308> GenBank/AF333324
<309> 2002-12-18
<313> (1706)..(1715)
<400> 11
Asp Glu Met Glu Glu Cys Ala Thr His Leu
         5
                    10
<210> 12
<211> 10
<212> PRT
<213> Hepatitis C virus
<220>
<221> MISC_FEATURE
<222> (1)..(10)
<223> HCV NS3 protease cleavage site
<300>
<308> GenBank/AF333324
<309> 2002-12-18
<313> (1968)..(1977)
<400> 12
Cys Ser Thr Pro Cys Ser Gly Ser Trp Leu
<210> 13
<211> 10
<212> PRT
```

```
<213> Hepatitis C virus
```

```
<220>
<221> MISC FEATURE
<222> (1)..(10)
<223> HCV NS3 protease cleavage site
<400> 13
Glu Asp Val Val Cys Cys Ser Met Ser Tyr
  5
<210> 14
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC FEATURE
<222> (1)..(10)
<223> HCV NS3 protease cleavage site
<400> 14
Glu Asp Val Val Pro Cys Ser Met Ser Tyr
     5
<210> 15
<211> 10
<212> PRT
<213> Hepatitis C virus
<220>
<221> MISC FEATURE
<222> (1)..(10)
```

<223> HCV NS3 protease cleavage site

<300>

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<308> GenBank/D16435
<309> 2000-02-01
<313> (978)..(987)
<400> 15
Asp Glu Met Glu Glu Cys Ala Ser His Leu
  5
             10
<210> 16
<211> 10
<212> PRT
<213> Hepatitis C virus
<220>
<221> MISC FEATURE
<222> (1)..(10)
<223> HCV NS3 protease cleavage site
<300>
<308> GenBank/D16435
<309> 2000-02-01
<313> (1299)..(1308)
<400> 16
Met Gln Thr Thr Cys Pro Cys Gly Ala Gln
   5
<210> 17
<211> 10
<212> PRT
<213> Hepatitis C virus
<220>
<221> MISC_FEATURE
<222> (1)..(10)
<223> HCV NS3 protease cleavage site
<300>
<308> GenBank/D16435
<309> 2000-02-01
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<313> (1688)..(1697)
<400> 17
Asp Asp Ile Val Cys Cys Ser Met Ser Tyr
  5
<210> 18
<211> 5
<212> PRT
<213> human herpesvirus 1
<220>
<221> MISC FEATURE
<222> (1)..(5)
<223> HSV-1 protease cleavage site
<300>
<308> GenBank/X14112
<309> 2003-04-22
<313> (47)..(51)
<400> 18
Leu Val Leu Ala Ser
        5
<210> 19
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC FEATURE
<222> (1)..(6)
<223> HSV-1 protease cleavage site
<400> 19
```

```
Leu Val Leu Ala Ser Ser
         5
<210> 20
<211> 12
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
<222> (1)..(12)
<223> HTLV-1 protease cleavage site
<400> 20
Ser Ala Pro Gln Val Leu Pro Val Met His Pro Asn
         5
                     10
<210> 21
<211> 12
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC FEATURE
<222> (1)..(12)
<223> HTLV-1 protease cleavage site
<400> 21
Ser Lys Thr Lys Val Leu Val Val Gln Pro Lys Asn
         5
<210> 22
<211> 5
```

2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt <212> PRT <213> Artificial <220> <223> Synthetic sequence <220> <221> MISC_FEATURE <222> (1)..(5) <223> HCMV Assemblin cleavage site <400> 22 Val Val Asn Ala Ser 5 <210> 23 <211> 6 <212> PRT <213> Artificial <220> <223> Synthetic sequence <220> <221> MISC_FEATURE <222> (1)..(6) <223> HCMV Assemblin cleavage site <400> 23 Val Val Asn Ala Ser Ser 5 <210> 24 <211> 17 <212> PRT

<220> <221> MISC_FEATURE

<213> Homo sapiens

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<222> (1)..(17)
<223> Alpha-secretase cleavage site
<300>
<308> GenBank/NM_000484
<309> 2003-10-04
<313> (683)..(697)
<400> 24
Val His His Gln Lys Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn
                     10
Lys
<210> 25
<211> 10
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(10)
<223> Beta-secretase cleavage site
<300>
<308> GenBank/NM 000484
<309> 2003-10-04
<313> (667)..(676)
<400> 25
Ser Glu Val Lys Met Asp Ala Glu Phe Arg
         5
                     10
<210> 26
<211> 10
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> MISC_FEATURE
<222> (1)..(10)
<223> Beta-secretase cleavage site
<400> 26
Ser Glu Val Asn Leu Asp Ala Glu Phe Arg
     5
                     10
<210> 27
<211> 15
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
<222> (1)..(15)
<223> Gamma-secretase cleavage site
<400> 27
Arg Arg Gly Gly Val Val Ile Ala Thr Val Ile Val Gly Glu Arg
         5
<210> 28
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Plasmin cleavage site
<400> 28
Pro Arg Phe Lys IIe IIe Gly Gly
         5
```

```
<210> 29
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
<222> (1)..(4)
<223> Matrix metallo proteinase-1 cleavage site
<400> 29
Pro Leu Gly Leu
<210> 30
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
<222> (1)..(4)
<223> Matrix metallo proteinase-1 cleavage site
<400> 30
Pro Leu Gly Ile
<210> 31
<211> 8
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Matrix metallo proteinase-3 cleavage site
<300>
<308> GenBank/NM_013227
<309> 2003-10-05
<313> (357)..(364)
<400> 31
Ile Pro Glu Asn Phe Phe Gly Val
         5
<210> 32
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Matrix metallo proteinase-3 cleavage site
<400> 32
Gly Pro Glu Gly Leu Arg Val Gly
         5
<210> 33
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Matrix metallo proteinase-3 cleavage site
```

```
<400> 33
Arg Val Gly Phe Tyr Glu Ser Asp
         5
<210> 34
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Matrix metallo proteinase-3 cleavage site
<400> 34
Leu Leu Ser Ala Leu Val Glu Thr
         5
<210> 35
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Matrix metallo proteinase-3 cleavage site
<400> 35
Glu Ala Ile Pro Met Ser Ile Pro
         5
<210> 36
<211> 8
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Matrix metallo proteinase-3 cleavage site
<400> 36
Arg Ala Ile His Ile Gln Ala Glu
     5
<210> 37
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Matrix metallo proteinase-3 cleavage site
<400> 37
Pro Phe Ser Pro Leu Val Ala Thr
         5
<210> 38
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Aggrecanase cleavage site
<400> 38
Thr Glu Gly Glu Ala Arg Gly Ser
         5
<210> 39
```

```
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(5)
<223> Caspase-1 cleavage site
<400> 39
Tyr Val His Asp Ala
        5
<210> 40
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> Caspase-1 cleavage site
<400> 40
Asp Gly Pro Asp Gly
  5
<210> 41
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(5)
<223> Caspase-1 cleavage site
```

<400> 41

```
Asp Glu Val Asp Gly
         5
<210> 42
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> Caspase-3 cleavage site
<400> 42
Asp Glu Val Asp Asn
         5
<210> 43
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(5)
<223> Caspase-3 cleavage site
<400> 43
Asp Met Gln Asp Asn
         5
<210> 44
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<222> (1)..(4)
<223> Caspase-3 cleavage site
<220>
<221> MISC FEATURE
<222> (2)..(3)
<223> Xaa can be any naturally occurring amino acid.
<400> 44
Asp Xaa Xaa Asp
<210> 45
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> Caspase-3 cleavage site
<400> 45
Asp Glu Pro Asp Ser
         5
<210> 46
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> Caspase-3 cleavage site
<400> 46
Asp Glu Ala Asp Gly
         5
```

```
<210> 47
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(5)
<223> Caspase-3 cleavage site
<400> 47
Asp Glu Thr Asp Ser
       5
<210> 48
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(5)
<223> Caspase-3 cleavage site
<400> 48
Asp Ala Val Asp Thr
         5
<210> 49
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(4)
<223> Caspase-3 cleavage site
```

```
<400> 49
Glu Ser Met Asp
<210> 50
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> Caspase-4 cleavage site
<220>
<221> MISC FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid.
<400> 50
Leu Glu Val Asp Xaa
         5
<210> 51
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(5)
<223> Caspase-4 cleavage site
<220>
<221> MISC FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid.
<400> 51
```

```
Trp Glu His Asp Xaa
         5
<210> 52
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> Caspase-4 cleavage site
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid.
<400> 52
Leu Glu His Asp Xaa
        5
<210> 53
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> Caspase-6 cleavage site
<400> 53
Val Glu lle Asp Asn
         5
<210> 54
<211> 5
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(5)
<223> Caspase-8 cleavage site
<220>
<221> MISC FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid.
<300>
<308> GenBank/NM 004346
<309> 2003-10-04
<313> (172)..(176)
<400> 54
lle Glu Thr Asp Xaa
         5
<210> 55
<211> 5
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> Caspase-8 cleavage site
<220>
<221> MISC FEATURE
<222> (5)..(5)
<223> Xaa can be any naturally occurring amino acid.
<400> 55
Leu Glu Thr Asp Xaa
```

```
<210> 56
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(4)
<223> Caspase-10 cleavage site
<400> 56
lle Glu Ala Asp
<210> 57
<211> 9
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(9)
<223> Angiotensin converting enzyme cleavage site
<400> 57
Arg Pro Pro Gly Phe Ser Pro Phe Arg
<210> 58
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<222> (1)..(10)
<223> Angiotensin converting enzyme cleavage site
<400> 58
Asp Asp Val Tyr lle His Pro Phe His Leu
         5
                     10
<210> 59
<211> 7
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(7)
<223> Platelet glydoprotein V thrombin cleavage site
<400> 59
Pro Gly Pro Arg Gly Pro Pro
         5
<210> 60
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Factor IX cleavage site
<400> 60
Asn Leu Thr Arg Ile Val Gly Gly
         5
<210> 61
<211> 14
```

<212> PRT

<220>

<221> MISC FEATURE

<222> (1)..(14)

<223> Thrombin cleavage site

<400> 61

Thr Val Glu Leu Gln Gly Val Val Pro Arg Gly Val Asn Leu 1 5 10

<210> 62

<211> 14

<212> PRT

<213> Artificial

<220>

<223> Synthetic sequence

<220>

<221> MISC FEATURE

<222> (1)..(14)

<223> Thrombin cleavage site

<400> 62

Thr Val Glu Leu Gln Gly Leu Val Pro Arg Gly Val Asn Leu 1 5 10

<210> 63

<211> 14

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (1)..(14)

<223> Thrombin cleavage site

<400> 63

```
Asp Phe Leu Ala Glu Gly Gly Val Arg Gly Pro Arg Val
                    10
         5
<210> 64
<211> 14
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(14)
<223> Thrombin cleavage site
<400> 64
Lys Ala Thr Asn Ala Thr Leu Asp Pro Arg Ser Phe Leu Leu
         5
<210> 65
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Plasmepsin I cleavage site
<300>
<308> GenBank/NM_000558
<309> 2003-10-04
<313> (31)..(38)
<400> 65
Glu Arg Met Phe Leu Ser Phe Pro
         5
<210> 66
<211> 8
```

```
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Plasmepsin I cleavage site
<300>
<308> GenBank/NM_000558
<309> 2003-10-04
<313> (44)..(51)
<400> 66
Phe Pro His Phe Asp Leu Ser His
         5
<210> 67
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Plasmepsin I cleavage site
<300>
<308> GenBank/NM_000558
<309> 2003-10-04
<313> (97)..(104)
<400> 67
Val Asn Phe Lys Leu Leu Ser His
         5
1
<210> 68
<211> 8
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Plasmepsin I cleavage site
<400> 68
Leu Gly Arg Leu Leu Val Val Tyr
<210> 69
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Plasmepsin I cleavage site
<400> 69
Thr Gln Arg Phe Phe Glu Ser Phe
<210> 70
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Plasmepsin I cleavage site
<400> 70
Val Gln Ala Ala Tyr Gln Lys Val
```

```
<210> 71
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Plasmepsin II cleavage site
<300>
<308> GenBank/NM_000558
<309> 2003-10-04
<313> (106)..(113)
<400> 71
Leu Leu Val Thr Leu Ala Ala His
         5
<210> 72
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Plasmepsin II cleavage site
<300>
<308> GenBank/NM 000558
<309> 2003-10-04
<313> (134)..(141)
<400> 72
Ser Thr Val Leu Thr Ser Lys Tyr
         5
<210> 73
```

```
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Plasmepsin II cleavage site
<400> 73
Gly Arg Leu Leu Val Val Tyr Pro
<210> 74
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Falcilysin cleavage site
<300>
<308> GenBank/NM 000558
<309> 2003-10-04
<313> (39)..(46)
<400> 74
Thr Thr Lys Thr Tyr Phe Pro His
         5
<210> 75
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
```

```
<222> (1)..(8)
<223> Falcilysin cleavage site
<300>
<308> GenBank/NM_000558
<309> 2003-10-04
<313> (72)..(79)
<400> 75
Ala His Val Asp Asp Met Pro Asn
         5
<210> 76
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Falcilysin cleavage site
<300>
<308> GenBank/NM_000558
<309> 2003-10-04
<313> (88)..(95)
<400> 76
His Ala His Lys Leu Arg Val Asp
         5
<210> 77
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
```

<222> (1)..(8)

<223> Falcilysin cleavage site

```
<400> 77
Trp Thr Gln Arg Phe Phe Glu Ser
         5
<210> 78
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Falcilysin cleavage site
<400> 78
Ala Phe Ser Asp Gly Leu Ala His
         5
<210> 79
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Falcilysin cleavage site
<400> 79
Leu Ala His Leu Asp Asn Leu Lys
     5
<210> 80
<211> 8
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Falcilysin cleavage site
<400> 80
Ala Tyr Gln Lys Val Val Ala Gly
         5
<210> 81
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Cathepsin cleavage site
<300>
<308> GenBank/NM 000558
<309> 2003-10-04
<313> (27)..(34)
<400> 81
Ala Glu Ala Leu Glu Arg Met Phe
         5
<210> 82
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Cathepsin cleavage site
<300>
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<308> GenBank/NM_000558
<309> 2003-10-04
<313> (34)..(41)
<400> 82
Phe Leu Ser Phe Pro Thr Thr Lys
         5
<210> 83
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Cathepsin cleavage site
<400> 83
Thr Pro Glu Glu Lys Ala Ser Val
         5
<210> 84
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Cathepsin cleavage site
<400> 84
Val Thr Ala Leu Trp Glu Lys Val
```

<210> 85 <211> 8

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> Cathepsin cleavage site
<400> 85
Leu Gly Arg Leu Leu Val Val
<210> 86
<211> 11
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
<222> (1)..(11)
<223> cAMP-dependent protein Kinase phosphorylation site
<400> 86
Tyr Leu Arg Arg Ala Ser Leu Ala Gln Leu Thr
<210> 87
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(8)
```

<223> cAMP-dependent protein Kinase phosphorylation site

```
<400> 87
Phe Arg Arg Leu Ser Ile Ser Thr
         5
<210> 88
<211> 11
<212> PRT
<213> Bos taurus
<220>
<221> MISC_FEATURE
<222> (1)..(11)
<223> cAMP-dependent protein Kinase phosphorylation site
<400> 88
Ala Gly Ala Arg Arg Lys Ala Ser Gly Pro Pro
         5
            10
<210> 89
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> cAMP-dependent protein Kinase phosphorylation site
<400> 89
Gly Arg Gly Leu Ser Leu Ser Arg
```

<210> 90 <211> 11 <212> PRT

<213> Oryctolagus cuniculus

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<220>
<221> MISC_FEATURE
<222> (1)..(11)
<223> Casein Kinase I phosphorylation site; Ser (location:4)
    phosphorylated
<400> 90
Arg Thr Leu Ser Val Ser Ser Leu Pro Gly Leu
         5
                     10
<210> 91
<211> 10
<212> PRT
<213> Bos taurus
<220>
<221> MISC FEATURE
<222> (1)..(10)
<223> Casein Kinase I phosphorylation site; Ser (location:4 and 6)
    phosphorylated
<400> 91
Asp Ile Gly Ser Glu Ser Thr Glu Asp Gln
         5
<210> 92
<211> 10
<212> PRT
<213> Bos taurus
<220>
<221> MISC FEATURE
<222> (1)..(10)
<223> Casein Kinase II phosphorylation site
<400> 92
Ala Asp Ser Glu Ser Glu Asp Glu Glu Asp
         5
```

```
<210> 93
<211> 11
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(11)
<223> Casein Kinase II phosphorylation site
<400> 93
Leu Glu Ser Glu Glu Glu Gly Val Pro Ser Thr
         5
                    10
<210> 94
<211> 11
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(11)
<223> Casein Kinase II phosphorylation site
<400> 94
Glu Asp Asn Ser Glu Asp Glu Ile Ser Asn Leu
        5
<210> 95
<211> 9
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(9)
<223> Glycogen Synthase Kinase 3 phosphorylation site: Ser (location:9)
    phosphorylated
```

```
<400> 95
Ser Val Pro Pro Ser Pro Ser Leu Ser
         5
<210> 96
<211> 9
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(9)
<223> Glycogen Synthase Kinase 3 phosphorylation site: Ser (location: 5
    and 9) phosphorylated
<400> 96
Ser Val Pro Pro Ser Pro Ser Leu Ser
         5
<210> 97
<211> 7
<212> PRT
<213> Aspergillus fumigatus
<220>
<221> MISC_FEATURE
<222> (1)..(7)
<223> Cdc2 protein Kinase phosphorylation site
<400> 97
Pro Ala Lys Thr Pro Val Lys
         5
<210> 98
<211> 10
<212> PRT
<213> Simian virus 40
```

```
<220>
<221> MISC FEATURE
<222> (1)..(10)
<223> Cdc2 protein Kinase phosphorylation site
<400> 98
His Ser Thr Pro Pro Lys Lys Lys Arg Lys
  5
            10
<210> 99
<211> 11
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(11)
<223> Calmodulin-dependent protein Kinase II phosphorylation site
<400> 99
Asn Tyr Leu Arg Arg Arg Leu Ser Asp Ser Asn
           10
<210> 100
<211> 10
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(10)
<223> Calmodulin-dependent protein Kinase II phosphorylation site
<400> 100
Lys Met Ala Arg Val Phe Ser Val Leu Arg
```

```
<210> 101
<211> 13
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
<222> (1)..(13)
<223> Insulin receptor phosphorylation site
<400> 101
Arg Arg Leu lle Glu Asp Ala Glu Tyr Ala Ala Arg Gly
         5
                    10
<210> 102
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(4)
<223> Mitogen-activated protein Kinase (Extracellular Signal-regulated
    Kinase) phosphorylation site
<400> 102
Pro Leu Ser Pro
<210> 103
<211> 4
<212> PRT
<213> Xenopus laevis
<220>
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<221> MISC FEATURE
<222> (1)..(4)
<223> Mitogen-activated protein Kinase (Extracellular Signal-regulated
    Kinase) phosphorylation site
<400> 103
Pro Ser Ser Pro
<210> 104
<211> 4
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(4)
<223> Mitogen-activated protein Kinase (Extracellular Signal-regulated
    Kinase) phosphorylation site
<400> 104
Val Leu Ser Pro
<210> 105
<211> 21
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(21)
<223> Mitogen-activated protein Kinase (Extracellular Signal-regulated
    Kinase) phosphorylation site
<400> 105
Lys Arg Glu Leu Val Glu Pro Leu Thr Pro Ser Gly Glu Ala Pro Asn
          5
                                   15
```

```
Gln Ala Leu Leu Arg
      20
<210> 106
<211> 11
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(11)
<223> cGMP-dependent protein Kinase phosphorylation site
<400> 106
Gly Lys Lys Arg Lys Arg Ser Arg Lys Glu Ser
    5 10
<210> 107
<211> 8
<212> PRT
<213> Bos taurus
<220>
<221> MISC FEATURE
<222> (1)..(8)
<223> cGMP-dependent protein Kinase phosphorylation site
<400> 107
Phe Arg Arg Leu Ser Ile Ser Thr
<210> 108
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
```

```
<220>
<221> MISC FEATURE
<222> (1)..(7)
<223> cGMP-dependent protein Kinase phosphorylation site
<400> 108
Arg Lys Arg Ser Arg Ala Glu
<210> 109
<211> 12
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(12)
<223> Phosphorylase Kinase phosphorylation site
<400> 109
Asp Gln Glu Lys Arg Lys Gln Ile Ser Val Arg Gly
<210> 110
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC FEATURE
<222> (1)..(10)
<223> Phosphorylase Kinase phosphorylation site
<400> 110
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
Pro Leu Ser Arg Thr Leu Ser Val Ser Ser
         5
                     10
<210> 111
<211> 9
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(9)
<223> Protein Kinase C phosphorylation site
<400> 111
His Glu Gly Thr His Ser Thr Lys Arg
         5
<210> 112
<211> 10
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
<222> (1)..(10)
<223> Protein Kinase C phosphorylation site
<400> 112
Pro Leu Ser Arg Thr Leu Ser Val Ser Ser
        5
                     10
<210> 113
<211> 11
<212> PRT
```

<213> Artificial

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt <220> <223> Synthetic sequence <220> <221> MISC_FEATURE <222> (1)..(11)
```

<400> 113

Gln Lys Arg Pro Ser Gln Arg Ser Lys Tyr Leu 1 5 10

<223> Protein Kinase C phosphorylation site

<210> 114

<211> 12

<212> PRT

<213> Artificial

<220>

<223> Synthetic sequence

<220>

<221> MISC_FEATURE

<222> (1)..(12)

<223> Protein Kinase C phosphorylation site

<400> 114

Pro Leu Ser Arg Thr Leu Ser Val Ala Ala Lys Lys 1 5 10

<210> 115

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Synthetic sequence

<220>

<221> MISC_FEATURE

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<222> (1)..(7)
<223> Protein Kinase C phosphorylation site
<400> 115
Leu Lys Phe Ser Lys Lys Phe
         5
<210> 116
<211> 8
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Protein Kinase C phosphorylation site
<400> 116
Arg Lys Arg Thr Leu Arg Arg Leu
       5
<210> 117
<211> 21
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC FEATURE
<222> (1)..(21)
<223> p34 cdc2 protein Kinase phosphorylation site
<400> 117
Ala Lys Ala Gln His Ala Thr Pro Pro Lys Lys Lys Arg Lys Val Glu
                     10
                                  15
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
Asp Pro Lys Asp Phe
      20
<210> 118
<211> 9
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
<222> (1)..(9)
<223> Meiosis-activated myelin basic protein Kinase phosphorylation
    site
<400> 118
Ala Pro Arg Thr Pro Gly Gly Arg Arg
<210> 119
<211> 11
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC FEATURE
<222> (1)..(11)
<223> Smooth Muscle Myosin Light Chain Kinase phosphorylation site
<400> 119
Lys Lys Arg Ala Arg Thr Ser Asn Val Phe Ala
1 5
<210> 120
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<211> 11
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
<222> (1)..(11)
<223> Epidermal Growth Factor Receptor Kinase phosphorylation site
<400> 120
Arg Glu Asn Ala Glu Tyr Leu Arg Val Ala Pro
         5
<210> 121
<211> 10
<212> PRT
<213> Homo sapiens
<220>
<221> MISC FEATURE
<222> (1)..(10)
<223> Epidermal Growth Factor Receptor Kinase phosphorylation site
<400> 121
Ala Glu Pro Asp Tyr Gly Ala Leu Tyr Glu
         5
<210> 122
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<221> MISC_FEATURE
<222> (1)..(5)
<223> Protein Tyrosine Kinase pp60c-src phosphorylation site
<400> 122
lle Tyr Gly Glu Phe
   5
<210> 123
<211> 52
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
<220>
<221> modified base
<222> (39)..(39)
<223> The 39th nucleotide t is linked to biotin by a linker.
<400> 123
                                                           52
atggaagtat atggaagtat tcgtggggtt ttgcagtcgt ag
<210> 124
<211> 14
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
<220>
<221> modified base
<222> (1)..(1)
<223> The first nucleotide g is linked to fluorescein by a linker.
<400> 124
gactgcaaaa cccc
                                               14
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<210> 125
<211> 52
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
<220>
<221> misc_feature
<222> (39)..(39)
<223> The 39th nucleotide n is an abasic nucleotide,
    6-amino-2-hydroxymethyl hexanol linked to biotin.
<400> 125
atggaagtat atggaagtat atggaagtat tcgtggggnt ttgcagtcgt ag
                                                             52
<210> 126
<211> 16
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
<220>
<221> modified base
<222> (1)..(1)
<223> The first nucleotide g is linked to fluorescein by a linker.
<400> 126
gactgcaaaa ccccac
                                                 16
<210> 127
<211> 36
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<220>
<221> modified_base
<222> (1)..(1)
<223> The first nucleotide g is linked to fluorescein by a linker.
<220>
<221> stem loop
<222> (1)..(36)
<220>
<221> modified base
<222> (34)..(34)
<223> The 34th nucleotide t is linked to biotin by a linker.
<220>
<221> modified base
<222> (36)..(36)
<223> The last (36th) nucleotide c is linked to DABCYL
    (4-(4'-dimethylaminophenylazo)benzoic acid) by a linker.
<400> 127
gcagcctagg aaacaccaaa gatgatattt ggctgc
                                                          36
<210> 128
<211> 38
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
<220>
<221> modified base
<222> (1)..(1)
<223> The first nucleotide g is linked to fluorescein by a linker.
<220>
<221> stem_loop
<222> (1)..(38)
<220>
<221> modified base
<222> (6)..(6)
<223> The 6th nucleotide t is linked to biotin by a linker.
```

```
<220>
<221> modified base
<222> (36)..(36)
<223> The 36th nucleotide t is linked to biotin by a linker.
<220>
<221> modified base
<222> (38)..(38)
<223> The last (38th) nucleotide c is linked to DABCYL
    (4-(4'-dimethylaminophenylazo)benzoic acid) by a linker.
<400> 128
gcagctctag gaaacaccaa agatgatatt tgagctgc
                                                         38
<210> 129
<211> 30
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
<400> 129
                                                   30
aaatatcatc tttggtgttt cctaggctgc
<210> 130
<211> 14
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
<400> 130
                                                14
gactgcaaaa cccc
<210> 131
<211> 12
<212> DNA
<213> Artificial
<220>
```

<223> Synthetic Sequence

<220>

<221> modified_base

<222> (1)..(1)

<223> The first nucleotide c is linked to fluorescein by a linker.

<400> 131

ctacgactgc aa

12

<210> 132

<211> 52

<212> DNA

<213> Artificial

<220>

<223> Synthetic Sequence

<400> 132

atggaagtat atggaagtat atggaagtat tcgtggggtt ttgcagtcgt ag 52

<210> 133

<211> 14

<212> DNA

<213> Artificial

<220>

<223> Synthetic Sequence

<220>

<221> modified base

<222> (4)..(4)

<223> The 4th nucleotide t is linked to biotin by a linker.

<400> 133

gactgcaaaa cccc

14

<210> 134

<211> 16

<212> DNA

<213> Artificial

```
<220>
<223> Synthetic Sequence
<400> 134
                                                16
gactgcaaaa ccccac
<210> 135
<211> 52
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
<220>
<221> modified_base
<222> (1)..(1)
<223> The first nucleotide a is linked to biotin by a linker.
<400> 135
atggaagtat atggaagtat tcgtggggtt ttgcagtcgt ag
                                                           52
<210> 136
<211> 16
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
<220>
<221> modified base
<222> (4)..(4)
<223> The 4th nucleotide t is linked to biotin by a linker.
<400> 136
                                                16
gactgcaaaa ccccac
<210> 137
<211> 52
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<212> DNA
<213> Artificial
<220>
<223> Synthetic Sequence
<220>
<221> modified base
<222> (1)..(1)
<223> The first nucleotide a is linked to biotin by a linker.
<220>
<221> misc_feature
<222> (39)..(39)
<223> The 39th nucleotide n is an abasic nucleotide,
    6-amino-2-hydroxymethyl hexanol linked to digoxigenin.
<400> 137
                                                             52
atggaagtat atggaagtat tcgtggggnt ttgcagtcgt ag
<210> 138
<211> 14
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem_loop
<222> (1)..(14)
<220>
<221> modified base
<222> (12)..(12)
<223> The 12nd nucleotide t is linked to biotin by a linker.
<400> 138
                                               14
gcaggactac ctgc
<210> 139
<211> 16
```

2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt <212> DNA <213> Artificial <220> <223> Synthetic sequence <220> <221> stem_loop <222> (1)..(16) <220> <221> modified base <222> (14)..(14) <223> The 14th nucleotide t is linked to biotin by a linker. <400> 139 16 gcaggacttt acctgc <210> 140 <211> 18 <212> DNA <213> Artificial <220> <223> Synthetic sequence <220> <221> stem_loop <222> (1)..(18) <220> <221> modified base <222> (16)..(16) <223> The 16th nucleotide t is linked to biotin by a linker. <400> 140 18 gcaggactca ttacctgc <210> 141 <211> 25

<212> DNA <213> Artificial

```
<220>
<223> Synthetic sequence
<220>
<221> stem loop
<222> (1)..(25)
<220>
<221> modified base
<222> (23)..(23)
<223> The 23rd nucleotide t is linked to biotin by a linker.
<400> 141
                                                   25
gcaggatact cattaccata cctgc
<210> 142
<211> 35
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem_loop
<222> (1)..(35)
<220>
<221> modified base
<222> (33)..(33)
<223> The 33rd nucleotide t is linked to biotin by a linker.
<400> 142
                                                        35
gcaggatact cattagcgac gaacaccata cctgc
<210> 143
<211> 45
<212> DNA
<213> Artificial
<220>
```

2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt <223> Synthetic sequence <220> <221> stem_loop <222> (1)..(45) <220> <221> modified base <222> (43)..(43) <223> The 43rd nucleotide t is linked to biotin by a linker. <400> 143 45 gcaggatact tagaccaaca cattagcgac gaacaccata cctgc <210> 144 <211> 25 <212> DNA <213> Artificial <220> <223> Synthetic sequence <220> <221> stem loop <222> (1)..(25) <220> <221> modified base <222> (23)..(23) <223> The 23rd nucleotide t is linked to biotin by a linker. <400> 144 25 cgaccatcct cattaccata ggtcg <210> 145 <211> 25 <212> DNA <213> Artificial

<220>

<223> Synthetic sequence

```
<220>
<221> stem_loop
<222> (1)..(25)
<220>
<221> modified base
<222> (23)..(23)
<223> The 23rd nucleotide t is linked to biotin by a linker.
<400> 145
                                                   25
gcagcatcct cattacccta gctgc
<210> 146
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem loop
<222> (1)..(25)
<220>
<221> modified base
<222> (23)..(23)
<223> The 23rd nucleotide t is linked to biotin by a linker.
<400> 146
                                                   25
cgacgatcct cattaccata cgtcg
<210> 147
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<221> stem_loop
<222> (1)..(25)
<220>
<221> modified base
<222> (23)..(23)
<223> The 23rd nucleotide t is linked to biotin by a linker.
<400> 147
                                                   25
ggaggataat cattaccata cctcc
<210> 148
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem loop
<222> (1)..(25)
<220>
<221> modified base
<222> (23)..(23)
<223> The 23rd nucleotide t is linked to biotin by a linker.
<400> 148
                                                   25
ccaccatact cattacccta ggtgg
<210> 149
<211> 23
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem_loop
<222> (1)..(23)
```

```
<220>
<221> modified_base
<222> (21)..(21)
<223> The 21st nucleotide t is linked to biotin by a linker.
<400> 149
gcagatactc attaccatac tgc
                                                  23
<210> 150
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem loop
<222> (1)..(25)
<220>
<221> modified base
<222> (23)..(23)
<223> The 23rd nucleotide t is linked to biotin by a linker.
<400> 150
gcaggatact gcttaccata cctgc
                                                   25
<210> 151
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem_loop
<222> (1)..(25)
<220>
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<221> modified base
<222> (23)..(23)
<223> The 23rd nucleotide t is linked to biotin by a linker.
<400> 151
gcaggactct cattacactg cctgc
                                                    25
<210> 152
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> modified_base
<222> (25)..(25)
<223> The 25th nucleotide t is linked to biotin by a linker.
<400> 152
                                                   25
agcgcatcct cattacccta gcgct
<210> 153
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem loop
<222> (1)..(25)
<220>
<221> modified base
<222> (21)..(21)
<223> The 21st nucleotide t is linked to biotin by a linker.
<400> 153
                                                   25
gcgcaatcct cattacccta tgcgc
```

```
<210> 154
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem loop
<222> (1)..(25)
<220>
<221> modified base
<222> (19)..(19)
<223> The 19th nucleotide t is linked to biotin by a linker.
<400> 154
gcagcatcct cattacccta gctgc
                                                   25
<210> 155
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem loop
<222> (1)..(25)
<220>
<221> modified base
<222> (13)..(13)
<223> The 13rd nucleotide t is linked to biotin by a linker.
<400> 155
gcagcatcct cattacccta gctgc
                                                   25
```

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<210> 156
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> stem loop
<222> (1)..(25)
<220>
<221> modified_base
<222> (10)..(10)
<223> The 10th nucleotide t is linked to biotin by a linker.
<400> 156
                                                   25
gcagcatcct cattacccta gctgc
<210> 157
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> modified base
<222> (1)..(1)
<223> The first nucleotide g is linked to fluorescein by a linker.
<220>
<221> stem loop
<222> (1)..(25)
<220>
<221> modified_base
<222> (25)..(25)
<223> The last (25th) nucleotide c is linked to DABCYL
    (4-(4'-dimethylaminophenylazo)benzoic acid) by a linker.
```

2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt <400> 157 25 gcagctagga gtaatgggat gctgc <210> 158 <211> 15 <212> DNA <213> Artificial <220> <223> Synthetic sequence <220> <221> modified_base <222> (11)..(11) <223> The 11st nucleotide t is linked to biotin by a linker. <400> 158 atcccattac tccta 15 <210> 159 <211> 13 <212> DNA <213> Artificial <220> <223> Synthetic sequence <220> <221> modified base <222> (11)..(11) <223> The 11st nucleotide t is linked to biotin by a linker. <400> 159 13 atcccattac tcc <210> 160

<211> 15 <212> DNA <213> Artificial

<220>

2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt <223> Synthetic sequence <400> 160 tagggtaatg aggat 15 <210> 161 <211> 25 <212> DNA <213> Artificial <220> <223> Synthetic sequence <220> <221> stem_loop <222> (1)..(25) <220> <221> modified base <222> (23)..(23) <223> The 23rd nucleotide t is linked to carboxyl group by a linker. <400> 161 25 gcagcatcct cattacccta gctgc <210> 162 <211> 25 <212> DNA <213> Artificial <220> <223> Synthetic sequence <220> <221> stem loop <222> (1)..(25) <220> <221> modified_base <222> (23)..(23) <223> The 23rd nucleotide t is linked to amine group by a linker.

25

```
<400> 162
gcagcatcct cattacccta gctgc
<210> 163
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC_FEATURE
<222> (1)..(7)
<223> Protein Kinase C phosphorylation site
<400> 163
Lys Arg Thr Leu Arg Arg Cys
         5
<210> 164
<211> 6
<212> PRT
<213> Homo sapiens
<220>
<221> MISC_FEATURE
<222> (1)..(6)
<223> Protein Kinase C phosphorylation site
<400> 164
Lys Arg Thr Leu Arg Arg
        5
<210> 165
<211> 25
<212> DNA
```

<213> Artificial

```
2007-09-27 12090-05CIP2 Sequence Listing.ST25.txt
<220>
<223> Synthetic sequence
<220>
<221> stem_loop
<222> (1)..(25)
<220>
<221> modified base
<222> (23)..(23)
<223> The 23rd nucleotide t is linked to phosphorylated heptapeptide,
    KRpTLRRC, by a linker.
<400> 165
gcagcatcct cattacccta gctgc
                                                  25
<210> 166
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic sequence
<220>
<221> MISC FEATURE
<222> (3)..(3)
<223> The 3rd amino acid T is phosphorylated.
<400> 166
Lys Arg Thr Leu Arg Arg Cys
         5
<210> 167
<211> 25
<212> DNA
<213> Artificial
<220>
<223> Synthetic sequence
```

```
<220>
<221> stem_loop
<222> (1)..(25)

<220>
<221> modified_base
<222> (23)..(23)
<223> The 23rd nucleotide t is linked to the heptapeptide, KRpTLRRC, by a linker.

<400> 167
gcagcatcct cattacccta gctgc 25
```